

( 20250625



GB29743.2-2025

### 3.2 ~~CE5~~

I/O

4.2.2

" "

0.05mbar

0.5%

4.2.3

4.2.3.1

4.2.3.2

40L

304

4.2.3.3

4.2.3.4

± 0.5%

± 0.03%


4.2.3.5

0.5%

4.2.3.6

30µ n

# 1 X



4.2.6

4.2.6.1

4.2.6.2

4.2.6.3

4.2.6.4

4.2.6.5

4.2.6.6

4.2.6.7

4.2.6.8

4.2.6.9

4.2.6.10

4.2.6.11

4.2.7

È 40 Æ B J Q

1 \$ Y Ö È 3 0 y E J Q Ë Æ B J Q à ñ 0 Ò Ò €

5.1

5%

5.2

( )

5.3

90

6.1

6.2

6.3

6.4

6.5

7.1

7.1.1

7.1.2

7.1.3

7.1.3

7.1.4

7.2

7.2.1

7.2.2

E

VÄGG

7.2.5

>

7

>

1000

> E/ä ö y å ö ñ s z c p r e n t o r k e ä p s d o s P s y 1 E i

↓ MP 1/4

>

Ä

8.1

Ö

Ä ä ö y å ö ñ s z c p r e n t o r k e ä p s d o s P s y 1 E i



10.1

1-2